CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888       11      222222                ZZZZZZZZ
GG         88    88     111     22    22                    ZZ
GG         88    88      11           222                 ZZ
GG  GGGG    888888       11         222                 ZZZZZZ
GG    GG   88    88      11        22                    ZZ
GG    GG   88    88      11       22                     ZZ
 GGGGGG     888888    11111111  22222222                ZZZZZZZZ
```

CROSSTABS

OSFIL / FROCC / FRFILS

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JCGZ

77/04/25. 15.59.48.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME TRIAL RUN FOR THE PARLEMENT
FILE NAME PARIS
VARIABLE LIST CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON,
YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR,
DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN,
SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR,
OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG,
MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC,
FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS,
FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR,
YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR,
MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON,
GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM CARD
NO. OF CASES 799
INPUT FORMAT FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0,
1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X,
F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X,
F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=OSFIL(0,19)/FROCC(0,18)/FRFILS(0,5)/TABLES=OSFIL BY
               FROCC BY FRFILS
STATISTICS     ALL
READ INPUT DATA
```

046600 CM NEEDED FOR CROSSTABS

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL BY FROCC

CONTROLLING FOR.. FRFILS VALUE.. 2 → Father / Higher Status

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF OSFIL BY FROCC *

CONTROLLING FOR.. FRFILS

(VALUE.. 2) → Father / Higher Status

OSFIL	FROCC: Gouverneur	FROCC: autre position	ROW TOTAL
2 Prov Parl	0	0	11
	0	0	8.8
	0	0	
	0	0	
3 Paris Parl	1	1	31
	3.2	3.2	24.8
	50.0	100.0	
	.8	.8	
4 Comptes ou Aides	0	0	17
	0	0	13.6
	0	0	
	0	0	
5 Royal Household	0	0	6
	0	0	4.8
	0	0	
	0	0	
6 Municipal Off.	0	0	3
	0	0	2.4
	0	0	
	0	0	
7 Royal Fin. Off in Paris	1	0	6
	16.7	0	4.8
	50.0	0	
	.8	0	
8 Royal Fin. off in Prov.	0	0	3
	0	0	2.4
	0	0	
	0	0	
9 Career Military	0	0	1
	0	0	.8
	0	0	
	0	0	
COLUMN TOTAL	2	1	125
	1.6	.8	100.0

(CONTINUED)

DATA DOCUMENTS/INC. CS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL
CONTROLLING FOR..
FRFILS
BY FROCC
VALUE.. 2 → Father / Higher Status

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL BY FROCC

CONTROLLING FOR..

FRFILS VALUE.. 2 → Father/Higher Status

* PAGE 4 OF 4

OSFIL	FROCC		
COUNT / ROW PCT / COL PCT / TOT PCT	Gouverneur (17)	autre position (18)	ROW TOTAL
J0	0	0	11
	0	0	8.8
	0	0	
	0	0	
J1	0	0	4
	0	0	3.2
	0	0	
	0	0	
J2	0	0	25
	0	0	20.0
	0	0	
	0	0	
J3	0	0	5
	0	0	4.0
	0	0	
	0	0	
J4	0	0	1
	0	0	.8
	0	0	
	0	0	
J9	0	0	1
	0	0	.8
	0	0	
	0	0	
COLUMN TOTAL	2 1.6	1 .8	125 100.0

Juds or Admin in Prov

Bourgeois

sec du Roi

avocat

Legal funct in Paris

autre position

RAW CHI SQUARE = 115.17132 WITH 143 DEGREES OF FREEDOM. SIGNIFICANCE = .9559
CRAMER≠S V = .28941
CONTINGENCY COEFFICIENT = .69249
LAMBDA (ASYMMETRIC) = .11702 WITH OSFIL DEPENDENT. = .04762 WITH FROCC DEPENDENT.
LAMBDA (SYMMETRIC) = .08917
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .16738 WITH OSFIL DEPENDENT. = .21797 WITH FROCC DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .18936
KENDALL≠S TAU B = .04157. SIGNIFICANCE = .2787
KENDALL≠S TAU C = .03533. SIGNIFICANCE = .2787
CONDITIONAL GAMMA = .05285
SOMERS≠S D (ASYMMETRIC) = .04568 WITH OSFIL DEPENDENT. = .03783 WITH FROCC DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .04139

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ETA = .29335 WITH OSFIL DEPENDENT.
ETA = .45228 WITH FROCC DEPENDENT.

DATA DOCUMENTS/INC. 85-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL BY FROCC

CONTROLLING FOR..

FRFILS VALUE.. 3

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

OSFIL BY FROCC

CONTROLLING FOR..

FRFILS VALUE.. 3

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL BY FROCC

CONTROLLING FOR..

FRFILS VALUE.. 3

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* C R O S S T A B U L A T I O N O F *

OSFIL BY FROCC

CONTROLLING FOR..

FRFILS VALUE.. 3

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL BY FROCC

CONTROLLING FOR.. FRFILS VALUE.. 4

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL BY FROCC

CONTROLLING FOR.. FRFILS VALUE.. 4

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

OSFIL BY FROCC

CONTROLLING FOR..

FRFILS VALUE.. 4

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

OSFIL BY FROCC

CONTROLLING FOR.. FRFILS VALUE.. 4

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/25.)

* C R O S S T A B U L A T I O N O F * * * * * * * * * * * * * * * * * * *

OSFIL BY FROCC

CONTROLLING FOR..

FRFILS VALUE.. 5

* * * * * * * * * * * * * * * * * * * \

```
                    FINISH


RUN COMPLETED

NUMBER OF CONTROL CARDS READ  47
NUMBER OF ERRORS DETECTED   0
```

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER